10/526816 DT15 Rec'd PCT/PTO 0 4 MAR 2005 PCT/SG2003/000209

.WO 2004/022784

SEQUENCE LISTING

<110>	Johns Hopkins Singapore		
	Anwar, Azlinda		
	August, Joseph Thomas		
	Too, Heng-Phon		
<120>	Strand-Specific Detection and Quantification		
<130>	70292-010100		
<140>	not yet assigned		
<141>	2003-08-21		
<160>	29		
<170>	PatentIn version 3.2		
<210>	1		
<211>	18		
<212>	DNA		
<213>	Artificial		
<220>			
<223>	Reverse primer (ActinS) used in comparative PCR experiment.		
<400>		18	
gagacaacat tggcatgg 18			
<210>	2		
<211>			
<212>			
	Artificial		
<220>			
<223>	Oligonucleotide utilized in reverse transcription reaction of		
	beta-actin transcripts.		

<400> 2 25 acagcacact ttgtagagac ctggg <210> 3 <211> 34 <212> DNA <213> Artificial <220> <223> Exemplary stem-loop chimeric oligonucleotide designed to have a stable stem-loop secondary structure under transcription reaction conditions. <400> 3 34 tctacaaaga cagcacactt tgtagagacc tggg <210> 4 <211> 19 <212> DNA <213> Artificial <220> <223> Exemplary forward hemi-nested primer utilized in comparative PCT experiment. <400> 4 19 agcacacttt gtagagacc <210> 5 <211> 30 <212> DNA <213> Artificial

2

<220>

<223> Exemplary stem-loop chimeric RT oligonucleotides (SCRO) made in accordance with the teachings of the invention.

<400> 5

tcaccgttcc ccgccgtcgg tgggcgctac

30

- <210> 6
- <211> 19
- <212> DNA
- <213> Artificial

<220>

<223> Exemplary basis for designing exemplary PCR primer, based on Den 2 genome.

<400> 6

tgaaacgcga gagaaaccg

19

- <210> 7
- <211> 12
 - <212> DNA
 - <213> Artificial

<220>

<223> Intermediate sequence based on SEQ.ID.NO.6 used for exemplary primer design.

<400> 7

tgaaacgcga ga

12

- <210> 8
- <211> 10
- <212> DNA
- <213> Artificial

<220> <223> Sequence based upon SEQ.ID.NO.7 used in exemplary primer design. <400> 8 tgaaacgcga 10 <210> 9 <211> 13 <212> DNA <213> Artificial <220> <223> DNA sequence of SEQ.ID.NO.8 having GAA added to the 3' end, thus raising the Tm. <400> 9 tgaaacgcga gaa 13 <210> 10 <211> 17 <212> DNA <213> Artificial <220> <223> Exemplary hemi-nested PCR primer having 3' protruding portion and 4 Gs added to the 5' end of the sequence provided in SEQ.ID.NO.9. <400> 10 ggggtgaaac gcgagaa 17 <210> 11 <211> 14 <212> DNA <213> Artificial

```
<220>
<223> Exemplary SCRO sequence.
<400> 11
ggggtgaaac gcga
                                                                     14
<210> 12
<211> 6
<212> DNA
<213> Artificial
<220>
<223> Deleted portion of SEQ.ID.NO.5 providing another exemplary
      convertible oligonucleotide SEQ.ID.NO.28.
<400> 12
tcaccg
                                                                      6
<210> 13
<211> 18
<212> DNA
<213> Artificial
<220>
<223> Forward primer for amplifying Dengue 2 NS2A region.
<400> 13
ggacatgggc agattgac
                                                                    18
<210> 14
<211> 18
<212> DNA
<213> Artificial
<220>
```

5

```
<223> Reverse primer for amplifying Dengue 2 NS2A region.
<400> 14
tccttttctt gttggttc
                                                                     18
<210> 15
<211> 21
<212> DNA
<213> Artificial
<220>
<223> Forward primer directed to envelope region of Dengue genome.
<400> 15
aggatgggga aatggatgtg g
                                                                     21
<210> 16
<211> 21
<212> DNA
<213> Artificial
<220>
<223> Reverse primer directed to envelope region of Dengue genome.
<400> 16
ttctgtggcc cctgtgagtg c
                                                                     21
<210> 17
<211> 24
<212> DNA
<213> Artificial
<220>
<223> Forward primer to NS2A region of Dengue genomic RNA.
```

6

<400>	17		
acctgg	gaag agtgatggtt atgg	24	
<210>	18		
<211>	24		
<212>	DNA		
<213>	Artificial		
<220>			
<223>	Reverse primer to NS2A region of Dengue genomic RNA.		
<400>	18		
atggtctctg gtatggtgct ctgg 2			
<210>	19		
<211>	18		
<212>	DNA		
<213>	Artificial		
<220>			
<223>	Exemplary hemi-nested strand-specific PCR primer.		
<400>	19		
cgttccccgc cgtcggtg 18			
<210>	20		
<211>	18		
<212>	DNA		
<213>	Artificial		
<220>			
<223>	Exemplary hemi-nested strand-specific PCR primer.		
<400>	20		
tcactac	satt taggarge	10	

```
<210> 21
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Forward primer to actin transcript.
<400> 21
acaacggctc cggcatgtgc
                                                                    20
<210> 22
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Reverse primer to actin transcript.
<400> 22
                                                                    20
ggtcatcttt tcacggttgg
<210> 23
<211> 12
<212> DNA
<213> Artificial
<220>
<223> Portion of SEQ.ID.NO.5 complementary to the negative replicative
      strand of Dengue.
<400> 23
                                                                    12
ggtgggcgct ac
```

```
<210> 24
 <211> 11
<212> DNA
<213> Artificial
<220>
<223> Portion of another exemplary SCRO, complementary to the positive
       replicative strand of RSV.
<400> 24
cacggtgaca c
                                                                  11
<210> 25
<211> 21
<212> DNA
<213> Artificial
<220>
<223> RSV MP2-specific sense primer.
<400> 25
                                                                   21
ctcttggtat agttggagtg c
<210> 26
<211> 21
<212> DNA
<213> Artificial
<220>
<223> RSV antisense primer.
<400> 26
tcaccgttcc ccgccgtcca c
                                                                  21
```

<210> 27 <211> 21 <212> DNA <213> Artificial <220> <223> RSV MP2-specific antisense primer. <400> 27 ttggagaaat tgttgagtgg c 21 <210> 28 <211> 24 <212> DNA <213> Artificial <220> <223> Exemplary SCRO based upon DNS-1 having stem-loop portion of DNS-1 deleted. <400> 28 ttccccgccg tcggtgggcg ctac 24 <210> 29 <211> 30 <212> DNA <213> Artificial <220> <223> RSV RT1 primer designed in accordance with thermodynamic and nucleotide selection parameters taught by the invention. <400> 29

30

tcaccgttcc ccgccgtcca cggttgacac